Technical Specification

• Principles:

Laser Scatter + Chemical dye + Flow Cytometry (WBC +DIFF)

Impedance Method (WBC/RBC/PLT), Cyanide Free Colorimetric Method (HGB)

Counting Channels:

RBC/PLT Channel + WBC/BASO +WBC DIFF Channel + HGB Channel

• Test Items:

28 Parameters, including: 24 report parameters WBC, LYM%, LYM#, NEU#, MON%, MON#, EOS%, EOS#, BAS%, BAS#, RBC, HGB, HCT, MCV, MCHC, RDW-CV, RDW-SD, PLT, PDW, MPV, PCT, P-LCR; 4 Research Parameters: ALY#, ALY%, LIC#, LIC%; Alarm for confirmed & seemingly abnormal samples

• Research Parameters:

ALY # (Abnormal Lymphocytes), ALY%, IG# (Immature Granulocytes), IG%

Scattergrams: 2 5 DIFF scattergrams (2D)

Histograms: Histograms for WBC and PLT

Analysis Modes: CBC + 5 DIFF, CBC + 3 DIFF, CBC + 5 DIFF + RRBC

Throughput: 60 samples per hour

Sample Method: Open

Sample Type: Whole blood, Prediluted blood

Sample Volume: ≤ 20µL

Data Management: LIS system automatic 2-way transmission management,

up to 50,000 results including numeric, graphical and patient data

• Sleep Mode: Automatic sleep and power on mode

Control Mode: L-J, X, X-R, X-B

B&E Bio-Technology Co., Ltd

No.11 jieaisi Road, Laishan District, Yantai City, Shandong Province, P.R. China

Tel:+86 535 6718181 Fax:+86 535 6718080 Email:info@besic.com Website:www.besic.com






Focus on Hematology over 20 years

Compact design to save space

High performance comparable to large 5-part Analyzer






Ideal for small and medium-sized labs

Heman 53

- Perfect traceable QC & Calibration System;
- Large Lineary Range, High Accuracy;
- Customize Print Templates


Laser Scatter Technology


Solid long-life laser irradiates blood cells at various angles combined with staining and flow cytometric analysis technology, output specific information on cell size, internal structure and particulate matter, accurately classify and count WBC, screening and flagging Abnormal Lymphocytes (ALY) and Immature Granulocytes (IG), provide more accurate, reliable information for clinical diagnosis.



3-DIFF and 5-DIFF Arbitrary Switching

2 modes on both 3 Diff and 5 Diff testing modes
User choose modes according to their demand
Save reagent cost





Advanced Data Management System

4 USB Ports, LAN port support HL7 protocol LIS system automatic 2-way transmission management




Reliable and Accurate Testing Results

Compact design and powerful, highly integrated electro-hydraulic separation design will ensure counting and classification results are comparable to large 5-part instruments

High quality hardware and algorithm processing

The accuracy of abnormal low value CBC results is guaranteed RRBC prompt function, can switch to RRBC modes when prompted



Machine maintenance-easy and one key to remove error automatically is simple and efficient

Clog prevention: concentrated cleanser soaking, back flush, high-voltage pulse
Self-checking function (status self-checking and reagent self-checking)
Intelligent maintenance system, automatically calculate sample volume, remind users to carry out routine maintenance

One key to remove error, automatic handling fault

One key to remove error, automatic handling fault
Automatic sleep and power on function
Integrated modular design, easy to maintain